Plants of South Eastern New South Wales



Flow ering stems. Australian Plant Image Index, photographer Murray Fagg, Yass



Rant. Australian Rant Image Index, photographer Murray Fagg, Yass

Common name

Bastards fumitory, Fumitory

Family

Papaveraceae

Where found

Disturbed sites and moist areas. Sydney area and the ACT. Widespread elsewhere but not common.

Notes

Introduced annual herb or climber to 0.75 m tall. Leaves opposite each other and alternating up the stems, hairless, deeply dissected, appearing compound, fern-like, segments to 5 mm long and more than 2 mm wide. Flowers 7-13 mm long, with 2 small white or pink sepals, one on either side of the flower, and 4 petals (white or pink with or without purplish tips) forming 2 lips, in clusters of 15-25, the clusters at least as long as the flower stalk. Seed cases distinctly wrinkled when dry. Flowers all year.

Family was Fumariaceae.

PlantNETdescription: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Fumaria~bastardii (accessed 22 January, 2021)



This identification key and fact sheets are available as a free mobile application:



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)



Flow ering stems. Photographer Don Wood, Scotia Sanctuary, western NSW



Line drawings. d. flower; e. seed case. A Barley, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board