Plants of South Eastern New South Wales




Flower cluster. Photographer José María Escolano, Spain



Flowers and leaves. Photographer עומר וינר Israel



Plant. Photographer José María Escolano, Spain



Line drawings. I. flower; m seed case. A Barley, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board

Common name

Dense-flowered Fumitory, Narrow-leaved Fumitory

Family

Papaveraceae

Where found

Weed of pastures and crops. Mainly Western Slopes. Rarely elsewhere.

Notes

Introduced annual herb to 0.6 m high, spreading or erect. Stems glaucous, hairless. Leaves alternating up the stems, hairless, channelled, deeply dissected, the largest ultimate segments to about 4 mm long, to 1 mm wide. Flowers 5.5–7 mm long overall, with 2 broad sepals to 3 mm long, one on either side of the flower, which are shed early, and 4 petals (usually deep pink, darker at the tip, the inner petals with a yellow streak down the middle) forming 2 lips. Flowers in clusters. Flowering: winter to spring.

Family was Fumariaceae.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Fumaria~densiflora (accessed 17 January, 2021)

Author: Betty Wood.

 $This identification \ key \ and \ fact \ sheets \ are \ available \ as \ a \ free \ mobile \ application:$





