

Plants of South Eastern New South Wales



Flowering stems. Photographer Don Wood, Trunkatabella Creek, north of Bodalla



Seeding stem. Australian Plant Image Index, photographer Murray Fagg, Mt Majura, Canberra, ACT



Plants. Australian Plant Image Index, photographer Murray Fagg, Mt Majura, Canberra, ACT

Common name

Stalked Brooklime

Family

Plantaginaceae

Where found

Stream banks and other damp places. Widespread. No records from Kosciuszko National Park.

Notes

Perennial herb to 0.5 m high or sprawling, sticky, almost hairless. Branches often rooting at the base. Leaves opposite each other, 0.8–3 cm long, 3–10 mm wide, bases stem-clasping, margins toothed to almost **entire**. Flowers white to pink with yellow in the mouth, 5–9 mm long, tubular, with 5 lobes, obscurely 2-lipped. Flowers on stalks 8–26 mm long, single, rarely paired, at the base of leaf-like **bracts**. Flowering: spring–summer.

All native plants on unleased land in the ACT are protected.

Data deficient Vic.

Family was Scrophulariaceae.

PlantNET description: <http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Gratiola~pedunculata> (accessed 19 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:



Android edition



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)