Plants of South Eastern New South Wales



Flowering stem with 'nuts'. Photographer Don Wood, near Sussex Inlet



Open 'nut'. Photographer Jackie Miles, Nadgigomar National Park north of Braidwood



Shrub, Australian Plant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT

Common name

Needlebush

Family

Proteaceae

Where found

Forest and heath. Coast and ranges mainly north of Bega.

Notes

Shrub to 4.5 m high. Leaf tips sharp. Young stems densely white-woolly, often becoming hairless with age. Leaves alternating up the stems, mostly 2–7 cm long, 0.7–1 mm in diameter, cylindrical, rigid, lower surface grooved, moderately appressed-silky, quickly becoming hairless; tips pointed outward, with a mucro 1-2 mm long. Flowers with 4 white or cream 'petals' 2.5–5 mm long, free from each other when the flowers are fully open, hairless. Gynoecium 4.5–7.5 mm long. Unit clusters 1–7-flowered, often several clusters close together. Flowering: winter to spring. 'Nut' more or less round to oval, 20–40 mm long, 20–32 mm wide, finely or coarsely warty to deeply wrinkled, beak 3–4 mm long, more or less smooth. Seeds with one wing.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Hakea~sericea (accessed 8 April 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





