Plants of South Eastern New South Wales



Flowering stems. Photographer Don Wood, Tathra Wildlife Reserve near Tathra



Flowers and leaves. Photographer Andrew Hodgson, Adelaide Hills, SA



Line drawings. c. flowering branch. GRM Dashorst, State Herbarium of South Australia, © 2021 Royal Botanic Gardens Board, Melbourne, Vic

Common name

Twiggy guinea-Flower

Family

Dilleniaceae

Where found

Dry forest, woodland, and heath. Coastal. Mainly in the Sydney area. One sighting in the ranges west of Dapto.

Notes

Shrub to 1.5 m tall. Stems hairy, becoming hairless. Leaves alternating up the stems or appearing clustered, 0.4-2.5 cm long, 0.5-3.2 mm wide, hairless to densely hairy with crinkly hairs, margins tightly rolled upwards to spreading, central vein usually not apparent on lower surface, tips pointed and curved down, becoming rounded or rarely squared off. Flowers 12-25 mm in diameter, with 5 yellow petals. Stamens 10-12, all around the 3 hairless carpels. Sepals fringed. Flowers single, stalkless, at the bases of the leaves or at the tops of the stems, mainly on short shoots. Flowers Spring-Summer.

Hibbertia virgata subsp. virgata in NSW.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Hibbertia~virgata (accessed 13 April 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





