
Plants of South Eastern New South Wales



Flower clusters and leaves. Photographer Don Wood, Carnarvon Station Bush Heritage Reserve via Augathella, Qld



Line drawings. e. flowering stem, seed case. K Maling, University of Sydney, © 2021 Royal Botanic Gardens Board, Melbourne, Vic

Common name

A Pennywort

Family

Araliaceae

Where found

Forest, along streams, and swampy places. Coast, ranges, and the ACT. Occasionally on the tablelands.

Notes

Creeping **perennial** herb, rooting at the **nodes**, occasionally mat forming or **ascending**, hairy. Leaves arising from the nodes, single or in clusters, 0.6-6 cm long, 6–60 mm wide, 3–7-lobed, the lobe tips mostly pointed, margins scalloped. A marked variation in leaf size, and in some areas small leaved (to 10 mm in diameter) variants grow mixed with large leaved (to 60 mm in diameter) variants. Flowers about 2 mm in diameter, with 5 **petals**, yellow, green or purple. Flower clusters globular, 3–6 mm in diameter, 3–20 flowered, opening 2-3 at any time. Flowers summer.

Family was Apiaceae.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Hydrocotyle~acutiloba (accessed 19 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)