Plants of South Eastern New South Wales



Flowers and leaves. Australian Flant Image Index, photographer Murray Fagg, Woodstock Nature Reserve, ACT



Flow ering branches. Australian Plant Image Index, photographer Peter Ormay, Aranda, Canberra, ACT



Flow ering branches. Australian Plant Image Index, photographer AN Schmidt-Lebuhn, Kooraw atha Nature Reserve, south of Cowra

Common name

Leafless indigo, Tick indigo

Family

Fabaceae

Where found

Dry forest, woodland, and grassy areas, often in rocky places. Kosciuszko National Park, Western Slopes, and the ACT. Tablelands north and west of the ACT. Rarely elsewhere.

Notes

Shrub to about 1.5 m tall, with scattered, appressed hairs. Leaves alternating up the stems, to 6.5 cm long, compound, rachis flattened, 0.5-2.5 mm wide, usually with 11-19 leaflets, each leaflet 0.1-0.6 cm long, 1-3 mm wide, margins entire, tips blunt or notched. Some or all leaflets may have fallen early. Flowers 5-9 mm long, pea shaped, with 5 petals, 2 joined together to form the keel, pink to pinky mauve. Flower clusters 2.5-5.5 cm long, with 5-20 flowers. Flowers mainly Spring.

All native plants on unleased land in the ACT are protected.

Vulnerable Vic.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Indigofera~adesmiifolia (accessed 19 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





