Plants of South Eastern New South Wales



Flower head. Photographer Jackie Mles



Flower head. Photographer Richard Hartland, Omeo, Vic



Flowering plant. Photographer Jackie Mles

Common name

A lagenophora

Family

Asteraceae

Where found

Damp areas in **shrubland**, grassy areas, **herbfields**, along streams, swamp margins, and in swamps, at high altitude. Kosciuszko National Park, the mountains to the north, ACT, tablelands, and western edge of the ranges.

Notes

Perennial herb with slender spreading rhizomes. Flower stalks to 0.25 m high, almost hairless except for appressed hairs below the flower head, and sometimes elsewhere. Leaves basal, 1.5-7 cm long, to about 15 mm wide, hairy to almost hairless, more or less entire or with 2–4 pairs of shallow teeth, the teeth and tips often with a small abrupt point. Sometimes leaves alternating up the flower stalks on the lower half of the stem and grading into bracts to about 1 cm long. Flower heads with 'petals' to 3 mm long, white, pink, mauve or purplish and yellow centres 3-5 mm in diameter. Flower heads single. Flowers mostly summer.

Was Lagenifera montana.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Lagenophora~montana (accessed 22 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





