Plants of South Eastern New South Wales




Flowers. Photographer Bart Wursten, Zimbabwe



Seed cases. Photographer Bart Wursten, Zimbabwe



Flow ering and seeding plant. Photographer Don Wood, Carnarvon Station Bush Heritage Reserve via



Line drawings. j. seed case; k. basal leaf. MMbir, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board

Common name

Argentine peppercress, Peppercress

Family

Brassicaceae

Where found

Weed. Woodland, pastures, lawns, gardens, crops, footpaths, parks, roadsides, disturbed sites and along streams. Widespread. Mostly Sydney area and the ACT.

Notes

Introuced annual or biennial herb to to 0.50 m high, covered with very short soft hairs. Basal leaves 3–8 cm long, deeply dissected, with 5-7 lobes to 2 mm wide. Stem leaves alternating up the stems, becoming smaller up the stems, to 5 cm long, 1–4 mm wide, compound or dissected to toothed. Flowers tiny, with 4 white petals shorter than the sepals, and 4 sepals 0.5-1 mm long. Flowers in a dense unbranched cluster which elongates in seed. Flowers summer–autumn. Seed cases almost circular, 2–4 mm long, 2–3 mm wide, hairless, with narrow wings in the upper half, tips with an open notch. (needs a hand lens or a macro app on your phone/tablet to see.) Stalks of seed cases spreading, 2–5 mm long, hairy on the upper surface.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Lepidium~bonariense (accessed 22 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





