Plants of South Eastern New South Wales




Stemwith wingless seed cases. Australian Rant Image Index, photographer Murray Fagg, Carnarvon National Park, Qld



Winged seed case. Australian Rant Image Index, photographer Murray Fagg, Eurabba State Forest Nof Tempra



Shrub. Australian Plant Image Index, photographer Murray Fagg, Carnarvon National Park



Line drawing. s. seed case. MMbir, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

Common name

Small-leaf bluebush, Bluebush

Family

Chenopodiaceae

Where found

Colonizing species. Disturbed mallee and woodland, other disturbed sites, and bare ground. Mainly west of the area covered by this key. Western Slopes. ACT. Sydney area.

Notes

Shrub to about 1 m high and wide. Stems sparsely hairy when young. Leaves often sparse, alternating up the stems, flattened cylindrical, 0.2–1 cm long, 0.5 mm wide, glaucous to sparsely hairy. Flowers small, tubular, with 5 'petals', hairless or the margins of the 'petals' fringed. Flowers single, but crowded into leafy spikes at the ends of the branchlets. Seed cases thick discs, 1.5–7 mm in diameter, flat or slightly convex at the tips, thin-walled, slightly open at the tips, hairless to slightly hairy, dark brown when dry. Horizontal wing may or may not be developed; when present, the wing entire or lobed, margin finely scalloped, with a radial slit.

Uncertain Status (native or naturalised) in the ACT.

Endangered Vic.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvI=sp&name=Maireana~microphylla (accessed 24 January, 2021)

Author: Betty Wood.

6 ۲ This identification key and fact sheets are available as a free mobile application:



Android edition



Creative Commons Attribution 3.0 Australia (CC BY)