Plants of South Eastern New South Wales



Rowers and young seed cases. Australian Rant Image Index, photographer Murray Fagg, between Mchelago and Captains Rat



Flow ering plant. Photographer Don Wood, Kow en Stock Route Reserve, ACT



Line drawings. e. flowering branch; flower. S Clark, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board

Common name

Water forget-me-not

Family

Boraginaceae

Where found

Near streams; on wet ground or in shallow water. Widespread but not coastal.

Notes

Introduced annual, occasionally biennial, herb to 0.35 m high. Roots at the lower leafless nodes. Stems sparsely to moderately densely hairy with appressed hairs. Leaves basal and alternating up the stems, 2–8 cm long, 4–15 mm wide, moderately hairy with appressed hairs, tips rounded, margins flat. Basal leaves stalked, upper leaves stalkless and more or less stem-clasping. Flowers pale blue, about 2.5 mm long, 2–4 mm in diameter, tubular, with 5 lobes. Stamens hidden inside the corolla tube. Calyx hairy with appressed hairs. Flowers in clusters on one side of the coiled stalk when young, the stalk soon elongating. Flowering: spring–summer.

Was Myosotis caespitosa.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfI.pl? page=nswfl&lvI=in&name=Myosotis~laxa+subsp.~caespitosa (accessed 24 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:

eń.

iOS edition

Android edition



Creative Commons Attribution 3.0 Australia (CC BY)