# **Plants of South Eastern New South Wales**



Flowers and leaves. Australian Flant Image Index, photographer Murray Fagg, Kosciuszko National Park



Flow ering branches. Australian Flant Image Index, photographer Murray Fagg, Kosciuszko National Park



Flowering branches. Photographer Don Wood, near Mongarlowe east of Braidwood

## Common name

Blush daisy bush, Silky daisy-bush

### **Family**

Asteraceae

### Where found

Forest, woodland, grassland, moist gullies, and swampy areas. Widespread. No records from the Western Slopes north and west of the Hume Highway.

#### **Notes**

Shrub to 1.5 m high. Branchlets closely covered by whitish T-shaped hairs (needs a hand lens or a macro app on your phone/tablet to see). Leaves alternating up the stems, 0.4–3 cm long, 3–22 mm wide, tips pointed or blunt or rounded, finely mucronate, margins toothed, occasionally entire, upper surface hairless, dark green, lower surface whitish-, silvery-, or grey-hairy. Flower heads with 2–4, white 'petals', and violet to mauve, or pale yellow centres. Flower heads 13–21 mm in diameter overall, conical below the 'petals'. Flower heads in clusters at the tops of the stems and at the bases of the leaves on short lateral shoots. Flowering: November–March

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Olearia~myrsinoides (accessed 23 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





