
Plants of South Eastern New South Wales



Flowers and leaves. Photographer Don Wood, Tantawangalo Mountain Road, east of the ACT



Flow ering plant. Photographer Russell Best, Macedon Ranges, Vic



Line drawings. g. plant; detail of leaf stalk. T Brosch, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board

Common name

Sourgrass

Family

Oxalidaceae

Where found

 ${\it Garden \ escape}. \ {\it Gardens, \ roadsides \ and \ other \ disturbed \ areas}. \ {\it Mainly \ Canberra}. \ {\it Occasionally \ elsewhere}.$

Notes

Introduced perennial herb with the stem reduced, appearing absent. Rhizome woody, covered with old leaf bases, to about 2.5 cm diameter. Bulbs and bulbils absent. Flower stalks sparsely hairy, slightly longer than the leaves. Leaves basal, crowded at the top of the rhizome, on sparsely hairy leaf stalks to 30 cm long in large plants. Leaves compound, with 3 bilobed leaflets 0.9–4 cm long, 10–28 mm wide, green, sparsely hairy, margins fringed, the lobe tips rounded and 8–16 mm apart. Stipules membranous, tapering into the leaf stalks. Flowers pink, mauve, white, or purple, with 5 petals each 10–15 mm long. Flower clusters 1- to at least 30-flowered. Flowers most of the year. Seed cases not developed in Australia.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Oxalis~articulata (accessed 29 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





