
Plants of South Eastern New South Wales



Flower heads and leaves. Photographer Richard Hartland, Bogong High Plains, Vic



Mat. Australian Plant Image Index, photographer Colin Totterdell, Kosciuszko National Park



Line drawings. a. plant; bract; seeds. EMayfield, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board

Common name

Parantennaria, Snowpatch Daisy

Family

Asteraceae

Where found

Alpine herbfields, wet areas in alpine grassland, margins of streams and bogs, cold wet gullies. Kosciuszko National Park, the mountains to the north, and ACT.

Notes

Perennial herb to 0.3 m high, low and flat, the **prostrate** stems rooting at the **nodes**, often forming cushion-like mats. Leaves **alternating** along the stems, crowded, 0.5–1.5 cm long, 0.5–2 mm wide, rigid, hairless, tips pointed, **mucronate**, bases membranous and often purplish, stem-clasping. Male and female flowers on different plants. Flower **heads** 4–6 mm in diameter, bell-shaped to hemispherical, female flower heads narrower than the male, oval-cylindrical at first. **Bracts appressed** to the flower heads 3–5 mm long, dry and membranous, brown or purplish. Flower heads single. Flowering: summer.

All native plants on unleased land in the ACT are protected.

Vulnerable Vic.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Parantennaria~uniceps (accessed 29 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





