# **Plants of South Eastern New South Wales**



Flowers and leaves. Australian Flant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT



Flowers and leaves. Australian Flant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT



Flowers and leaves. Australian Flant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT

#### Common name

Japanese Knotweed

### **Family**

Polygonaceae

#### Where found

Occasionally naturalized, particularly near habitations. Coast and Blue Mountains. Occasionally elsewhere. Doubtfully **naturalised** in the ACT.

## **Notes**

Introduced herb, prostrate. Stems hairy, often brown or pink. Leaves alternating up the stems, 1–6 cm long, 7–30 mm wide, often with pink to red bands or blotches, hairy with short scattered hairs, stalks 0–2 mm long, often with a leaf-like outgrowth from the base, stipular sheath (ocrea) with numerous hairs, fringing hairs at the top to 1 mm long. Flowers with 4-5 pink 'petals' 2.5–3.7 mm long, in oval to round dense clusters 5–10 mm long, 5–7 mm in diameter.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Persicaria~capitata (accessed 29 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





