Plants of South Eastern New South Wales



Flowering stem Photographer Jackie Mles



Flow ering stems. Photographer Richard Hartland, Brisbane Ranges, Vic



Line drawing. e. flowering branch. M/Noir, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board

Common name

Dwarf Rice-flower, Common Rice-flower

Family

Thymelaeaceae

Where found

Dry open forest, woodland, heath, and sand dunes. Coast south of Tathra. Along the NSW/Vic border. Rarely elsewhere.

Notes

Shrub to 0.5 m high. Young stems densely hairy. Leaves opposite each other, mostly 0.5–1.6 cm long, 1–9 mm wide, hairless, medium green, often slightly paler below. Flowers bisexual or female, whitish to creamy white, mostly 13–19 mm long, female flowers shorter, tubular, with 4 spreading lobes, each 1–5 mm long. Flowers in 12–52 flowered heads subtended by 4 or 6 leaflike bracts, each 0.6–1.8 cm long, 3–11 mm wide, hairless on the outer surface, inner surface hairy with short hairs, the hairs sometimes restricted to the midvein, yellow at the base, green above. Flowers Sept.–Jan.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Pimelea~humilis (accessed 31 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





