# **Plants of South Eastern New South Wales**



Flowers and leaves. Australian Flant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT



Flowers and leaves. Photographer Don Wood, Eurobodalla National Park south of Moruya



Line drawings. j. flowering branchlet; leaves; flower. P Strickland, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board

#### Common name

Victorian Christmas Bush

### **Family**

Lamiaceae

#### Where found

Forest, subalpine woodland, and regrowth. Mainly along watercourses, in moist gullies, and near swamps. Widespread, except for the Western Slopes. Rare on the tablelands.

## Notes

Shrub or tree to 13 m high. Bark dark brown to blackish, shallowly fissured longitudinally. Stems hairless or sparsely hairy, sticky. Leaves aromatic when rubbed, opposite each other, 2.5–12 cm long, 5–32 mm wide, upper surface dark green, lower surface paler, surfaces hairless, margins usually toothed, tips pointed. Flowers white to pale mauve or bluish with purple to mauve spots in the throat, 10–15 mm long, with a bell-shaped tube, 2-lipped, with 5 lobes. Calyx 2-lobed. Flowers in large open clusters 4-12 cm long. Flowering: November–March.

Prostanthera lasianthos var. lasianthos in Vic.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Prostanthera~lasianthos (accessed 28 January, 2021) Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:



Android edition



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)