Plants of South Eastern New South Wales



Flow er and leaves. Murrumbidgee R NE of Adaminaby, photographer David McKay



Flower and leaves. Murrumbidgee R NE of Adaminaby, photographer David McKay



Flow ering plant. Murrumbidgee RNE of Adaminaby, photographer David McKay

Common name

Native Pearlwort

Family

Caryophyllaceae

Where found

Eucalyptus pauciflora woodland, sub-alpine sphagnum bogs, and along streams. Kosciuszko National Park, the mountains to the north, and the ACT.

Notes

Perennial herb with fibrous roots, often rooting at the nodes. Stems limp, to 0.15 m long, hairless. Leaves opposite each other, 0.4–1 cm long, 0.3–0.5 mm wide, hairless, tips pointed but not awned. Flowers with 4, occasionally 5, sepals 1-1.5 mm long, and 4 white petals half to three-quarters the length of the sepals. Flowers single, on stalks 4–15 mm long. Seed cases about twice as long as the sepals and embraced by them.

All native plants on unleased land in the ACT are protected.

Vulnerable Vic.

PlantNET description with line drawing: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Sagina~namadgi (accessed 5 February, 2021)

Author: Betty Wood.

 $This \, identification \, key \, and \, fact \, sheets \, are \, available \, as \, a \, \, free \, mobile \, application: \, \\$





Android edition



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)