# **Plants of South Eastern New South Wales**



Flowers. Australian Flant Image Index, photographer Murray Fagg, Woodstock, NSW



Flowering stem Photographer Don Wood, Scotia Sanctuary, western NSW



Tree. Photographer Don Wood, Scotia Sanctuary, western NSW



Fruiting stem and bark. Photographer Don Wood, Boundary Bend, Vic



Leaves and fruit. Australian Plant Image Index, photographer Murray Fagg, Woodstock, NSW

#### Common name

Peppercorn, Pepper Tree, Peruvian mastic tree, Pepperina

## **Family**

Anacardiaceae

## Where found

Woodland, grassy areas, roadsides, disturbed sites, and along streams. Sydney area. Western slopes. Occasionally elsewhere.

#### Notes

Introduced tree to 14 m tall. Fruit fleshy. Bark rough, flaky. Young stems hairy, becoming hairless, drooping. Leaves aromatic when rubbed, alternating up the stems, 8-25 cm long, 40–90 mm wide, with 15-41 leaflets, the leaflets 1.5-6 cm long, 2-10 mm wide, mostly hairless, margins entire, sometimes toothed, tips pointed. Male and female flowers on different plants, with some flowers bisexual. Flowers with 4-5 white or creamy petals 1.8-2.5 mm long, in drooping branched clusters. Fruit bluish pink to red, round, 3-6 mm in diameter.

Schinus molle in Vic. Was Schinus areira in NSW.

General Biosecurity Duty all NSW.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=in&name=Schinus~molle+var.~areira (accessed 14 April 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)