# **Plants of South Eastern New South Wales**



Spent flowering stems. Photographer lan McCann, @ 2021 Royal Botanic Gardens Board, Melbourne, Vic



Flow ering plant. Photographer Marc Freestone, © 2021 Royal Botanic Gardens Board, Melbourne, Vic

#### Common name

Large-headed Groundsel

### **Family**

Asteraceae

## Where found

Woodland, grassland, and sedgeland. Tablelands east and north of the ACT.

#### **Notes**

Shrub or herb to about 0.7 m high or sprawling, arising from a perennial rootstock, sparsely to moderately greyish-cobwebby below, becoming hairless above. Leaves alternating up the stems, 4–15 cm long, 2–10 mm wide, upper surface sometimes covered with minute bristles as well as cobwebby; lower surface usually more densely cobwebby than the upper surface, margins entire to distantly and minutely toothed, rarely prominently toothed, occasionally lobed with 1 or 2 triangular lobes per side. Flower heads 7–18 mm long, plumply cylindrical, with 50–150 florets, 0 petals, surrounded by 13–33 appressed bracts. Flower heads usually in clusters of about 2–10. Flowers mostly winter–spring.

Vulnerable Australia. Endangered Vic. Listed in the Flora and Fauna Guarantee Act Vic.

VICFLORA description: https://vicflora.rbg.vic.gov.au/flora/taxon/08d8c8b5-5723-4d2b-9d60-5a81c0398a43 (accessed 29 January 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)