Plants of South Eastern New South Wales



Flow er cluster (subsp. *vagus*). Photographer David Francis, near Mt Macedon, Vic



Flow er head (subsp. *vagus*). Photographer Russell Best, near Mt Macedon, Vic



Flow ering plant (subsp. vagus). Photographer Don Wood, Budaw ang National Park east of Braidw ood

Common name

Saw Groundsel

Family

Asteraceae

Where found

Forest and moist gullies.

subsp. eglandulosus: North from Wollongong. Coast, ranges, and the eastern edge of the tablelands.

subsp. vagus: Occasional records. Widespread.

Notes

Shrub or perennial herb to 1.5 m high. Leaves mostly somewhat fleshy, often glaucous. Stems and leaves mostly hairless to sparsely hairy. Leaves alternating up the stems, mostly 4–18 cm long, 10–100 mm wide; lower leaves often dissected, with 1–3 narrow lobes per side; middle leaves with the margins usually coarsely and irregularly toothed or lobed; upper leaves toothed to entire. Flower heads with 6–15 yellow 'petals', each 10-20 mm long, and yellow centres about 4–8 mm in diameter with about 25–50 florets. Flower heads below the 'petals' bell-shaped to urn-shaped, surrounded by 12–16 appressed bracts. Flower heads in loose clusters of 3–20 heads. Flowering: spring–autumn.

subsp. eglandulosus: bracts appressed to the flower heads without glands, outer bracts at the bases of the flower heads with margins entire or weakly toothed.

subsp. vagus: bracts appressed to the flower heads glandular, outer bracts at the bases of the flower heads with margins prominently toothed.

PlantNET description of species and key to subspecies: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Senecio~vagus (accessed 7 February, 2021) Author: Betty Wood.

6 ۲ This identification key and fact sheets are available as a free mobile application:



Android edition



Creative Commons Attribution 3.0 Australia (CC BY)