Plants of South Eastern New South Wales



Flowers and leaves. Australian Flant Image Index, photographer Murray Fagg, Barrington Tops



Plants and flower. Photographer Don Wood, Nunnock Swamp, South East Forests National Park



Plant. Australian Plant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT

Common name

Mountain velleia

Family

Goodeniaceae

Where found

Forest, woodland, moist grassland, cold mountain valleys, permanently moist soils, and swamps. ACT, the mountains to the west, and Kosciuszko National Park. Mountains on the tablelands south of the Kings Highway. Western parts of the ranges.

Notes

Perennial herb to 0.15 m high, hairless or hairy. Leaves basal in a **rosette**, 1–8 cm long, 5–30 mm wide, tips rounded, surfaces variably hairy or becoming hairless, margins toothed or **entire**, usually conspicuously fringed at least when young. Flowers to 10 mm long, 4-8 mm in diameter, yellow, obscurely spurred, hairy outside and inside, tubular, the tube split, with 5 lobes, the lobes notched at the tips. Three **sepals** 3-6 mm long. Flowers clustered towards the centre of the rosette, the stalks usually shorter than the leaves. Flowering: mostly November–February.

Goodenia montana in VICFLORA.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Velleia~montana (accessed 8 February, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





