# **Plants of South Eastern New South Wales**



Flowers. Photographer Neil Blair, © 2021 Royal Botanic Victoria Gardens Board




Leaves. Photographer Neil Blair, © 2021 Royal Botanic Victoria Gardens Board



Flow ering stem. Photographer galah681 Tidbinbilla Nature Reserve, ACT



Plant. Photographer Neil Blair, © 2021 Royal Botanic Victoria Gardens Board



Line drawings. c. plant, leaf; leaf detail; flower; stem section. G Stolfo, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

### Common name

Moth Mullein

## **Family**

Scrophulariaceae

## Where found

Disturbed ground, roadsides, and pastures. Widespread.

#### **Notes**

Introduced erect, mostly unbranched biennial herb to 1.2 m high. Stems hairless in the lower parts of the plant, and with stalked or

stalkless glands higher up. Leaves form a rosette in the first year; and a leafy stem with leaves alternating up the stem, crowned by the infloresecence, in the second year. Leaves in the lower parts 8–25 cm long, 20–40 mm wide, margins scalloped and wavy to deeply dissected, surfaces hairless. Stem leaves smaller, stem-clasping, grading upwards into leaf-like bracts 0.7–0.8 cm long. Flowers pale pink, white or yellow, with purple centres, 25–30 mm in diameter, with 5 petals fused at the base. Flowers solitary in the bract axils. Racemes unbranched or with few branches, 30–60 cm long.

PlantNET description: https://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvI=sp&name=Verbascum~blattaria (accessed 25 March 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:



Android edition iOS edition



Creative Commons Attribution 3.0 Australia (CC BY)