
# **Plants of South Eastern New South Wales**



Rowers and leaves. Australian Rant Image Index, photographer Mırray Fagg, between Cobramand Barooga, Victorian bank of Mırray River, Vic



Plants. Photographer Nimal G. Karunajeewa, © 2021 Royal Botanic Gardens Board, Melbourne, Vic



Line drawings. g. seeding stem h. flower. MMbir, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board

#### Common name

Hairy Vetch, Tiny Vetch

## **Family**

Fabaceae

## Where found

Pasture, roadsides, and other disturbed sites. Mainly Sydney area and Canberra. Occasionally elsewhere.

#### **Notes**

Introduced annual herb to 0.8 m high, upright, trailing, or climbing. Stems angular, hairless to sparsely hairy. Leaves alternating up the stems, 2–8 cm long excluding the tendril at the tip, compound, with 8–20 leaflets each 0.5–2.5 cm long 1–4 mm wide, tips squared off to notched, and mucronate, lower surface sparsely hairy. Stipules entire or toothed, without glands. Flowers mostly 2–5 mm long, mauve, pale blue, or pink, pea shaped, with 5 petals, 2 joined together to form the keel. Flower stalks longer than the flowers. Flowers in 2–8 flowered clusters. Flowers mainly Jun.–Feb.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Vicia~hirsuta (accessed 11 February, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)