
Plants of South Eastern New South Wales



Rower. Photographer Jackie Miles



Rowering plant. Photographer Jackie Mles



Line drawings. f. leaves. MMbir, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

Common name

A violet

Family

Violaceae

Where found

Moist forest, gullies, and alpine bogs. Tablelands east of Goulburn. Ranges and eastern edge of the tablelands. Not common.

Notes

Perennial herb, **stoloniferous**. Flower stalks to 0.25 m high, longer than the leaves. Hairless to sparsely hairy. Leaves usually forming **rosettes**, 1–2.5 cm long, 12–60 mm wide, broadly kidney-shaped, wider than long, bright green, hairless or with scattered hairs, margins with prominent teeth. Flowers with 5 **petals**, 2-coloured, mauve-violet near base and white near the top (rarely the top part pale violet) with a sharp demarcation between colours, the bottom petal with a large green V shaped blotch at the base, **lateral** petals strongly twisted. Petals 8–13 mm long. Flowers single. Flowers mostly Dec.–Mar.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfI.pl? page=nswfl&lvl=sp&name=Viola~eminens (accessed 11 February, 2021)

Author: Betty Wood.



This identification key and fact sheets are available as a free mobile application:



Creative Commons Attribution 3.0 Australia (CC BY)