
Plants of South Eastern New South Wales



Flowers and leaf. Photographer Ken Harris, Wilsons Promontary National Park, Vic



Plant. Photographer Ken Harris, Wilsons Promontary National Park, Vic



Line drawings. i. plant; joined seeds. K Maling, University of Sydney, © 2021 Royal Botanic Gardens Board, Melbourne, Vic

Common name

Southern Xanthosia

Family

Apiaceae

Where found

Forest and heath. Coastal south of Pambula.

Notes

Perennial herb to 0.2 m high. Stems and leaves hairy to sparsely hairy with long spreading hairs. Leaves 0.4–1.5 cm long, 15–30 mm wide, alternating up the stems, usually becoming hairless, deeply dissected or compound, with 3 leaflets, rarely the lateral leaflets split almost to the base, margins entire. Leaflets 0.4–1.5 cm long, 3–8 mm wide. Individual flowers with 5 white petals 1.1-1.5 mm long, and 5 sepals each 2–2.5 mm long, in mostly 1–5 flowered clusters. Bracteoles below the flowers leaf-like, green, 3–4 mm long. Flowers September–May.

Rare Vic.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Xanthosia~tasmanica (accessed 8 February, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





