



Pacific Pests and Pathogens - Mini Fact Sheet Edition

<https://apps.lucidcentral.org/ppp/>

Cucurbit wet rot (144)



Photo 1. Cucurbit wet rot, *Choanephora cucurbitarum*, on fruit of squash near the soil surface. The fungus is forming dark spores giving the fruit a "hairy" look.



Photo 2. Cucurbit wet rot, *Choanephora cucurbitarum*, on capsicum.



Photo 3. Cucurbit wet rot, *Choanephora cucurbitarum*, on zucchini. Similar to Photo 1.




Photo 4. *Choanephora cucurbitarum*, on dying leaves of capsicum.



Photo 5. *Choanephora cucurbitarum* blossom blight.



Photo 6. Cucurbit wet rot, *Choanephora cucurbitarum*, on capsicum. Possibly, the wet rot has followed damage caused by anthracnose or sunscald.



Photo 7. Spores of cucumber wet rot, *Choanephora cucurbitarum*, on bean.

Summary

- Worldwide distribution. A common fungus, causing rots on fruit, flowers and leaves in bean, cucumber, papaya and tomato families. A minor disease.
- Spores are splashed from soil onto wounds made by insects, weather events or during cultivation. Also, flowers wilt, become infected, then supply spores.
- Spread is by spores on the wind. Worse in wet weather, high temperatures and high humidity.
- Rots occur in cold storage without producing spores.
- Cultural control: plant spacing important for squash and zucchini, allowing leaves to dry rapidly after rain.
- Chemical control: none recommended.

Common Name

Cucurbit wet rot, Choanephora fruit rot, Choanephora blossom blight

Scientific Name

Choanephora cucurbitarum

AUTHOR Grahame Jackson and Mani Mua

Information from Gerlach WWP (1988) *Plant diseases of Western Samoa*. Samoan German Crop Protection Project, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ) GmbH, Germany. Photo 1 Gerald Holmes, Valent USA Corporation, Bugwood.org. Photos 2-5 Mani Mua, SPC, Sigatoka Research Station, Fiji.

Produced with support from the Australian Centre for International Agricultural Research under project PC/2010/090: *Strengthening integrated crop management research in the Pacific Islands in support of sustainable intensification of high-value crop production*, implemented by the University of Queensland and the Secretariat of the Pacific Community.

This mini fact sheet is a part of the app *Pacific Pests and Pathogens*

The mobile application is available from the Google Play Store and Apple iTunes.

