

# Pacific Pests, Pathogens & Weeds - Mini Fact Sheet Edition

https://apps.lucidcentral.org/ppp/

## Citrus aphids (249)



Photo 1. Citrus aphids, *Toxoptera* sp., infesting a new flush of leaves.



Photo 2. Shiny black adult citrus aphids, *Toxoptera* sp., and reddish-brown nymphs on the back of a citrus leaf. Note the two syrphid larvae, predators of aphids.



Photo 3. A winged citrus aphid, *Toxoptera* sp. in the foreground.

### **Summary**

- Worldwide distribution. There are two types, brown and black; but a microscope is needed to tell them apart. The brown citrus aphid occurs on citrus, and perhaps close relatives. The black citrus aphid occurs on over 120 hosts, including citrus, cocoa, coffee, *Hibiscus*, maize, *Vanda* orchids and tea. Important pests.
- Important: (i) suck sap damaging shoot tips; (ii) spread Citrus tristeza virus; (iii) produce honeydew, blackening leaves.
- Citrus tristeza virus is spreadmore efficiently by the black type.
- Most colonies are wingless; winged adults develop when colonies are large. The aphids can fly up to 30 km.
- Natural enemies: predators, and parasitoid wasps.
- Chemical control: white or horticultural oils; PDPs: neem, derris, pyrethrum, or chilli; or synthetic pyrethroids, but likely to kill natural enemies.

#### **Common Name**

Brown and black citrus aphids. There is confusion in these names with brown and black given to both species of *Toxoptera* by different authors. CABI has the common names as follows: *Toxoptera aurantii* is the camellia aphid, and *Toxoptera citricida* as the black citrus aphid. Some accounts give the common name for *Toxoptera citricida* as the black/brown aphid!

In this fact sheet Toxoptera citricida is the brown citrus aphid, and Toxoptera aurantii, the black citrus aphid.

#### Scientific Name

Toxoptera species. Toxoptera citricida, brown citrus aphid (CABI-black citrus aphid); Toxoptera aurantii, black citrus aphid (CABI-camellia aphid).

AUTHOR Grahame Jackson

Produced with support from the Australian Centre for International Agricultural Research under project PC2010/090: Strengthening integrated crop management research in the Pacific Islands in support of sustainable intensification of high-value crop production, implemented by the University of Queensland and the Secretariat of the Pacific Community.

This mini fact sheet is a part of the app Pacific Pests, Pathogens & Weeds

The mobile application is available from the Google Play Store and Apple iTunes.









Copyright © 2020. All rights reserved.