

Pacific Pests, Pathogens & Weeds - Mini Fact Sheet Edition

https://apps.lucidcentral.org/ppp/

Cotton semi-looper (398)



Photo 1. Larva of the cotton semi-looper, *Anomis* flava. Note the head is to the right.



Photo 2. Adult cotton semi-looper, Anomis flava.

Summary

- Worldwide distribution. Present in most Pacific island countries. Hosts are bele, cotton, okra, tomato, ornamentals and weeds (mostly Malvaceae).
- Damage: larvae eat leaves, buds, bolls (cotton), sometimes defoliating entire plant.
- Eggs laid singly; long green larvae, seven faint white lines (dots or broken lines) along body, and yellowish bands between segments. Only four pairs of prolegs. Adults have brown wings with gold patch near body.
- Natural enemies: tachinid flies, wasps, fungi; none reported from Pacific.
- Cultural control: avoid overlapping crops and new next to old; crop rotation (3 months); apply manures or fertilizers for healthy
 growth; handpicking; collect and burn debris after harvest.
- Chemical control: biorational pesticides: i) botanicals (chillies, neem, derris, pyrethrum); ii) microbials e.g., spinosad, Bt (*Bacillus thuringiensis* subspecies *kurstaki*) against young caterpillars; iii) synthetic pyrethroids avoid if possible as they are likely to destroy natural enemies, if present.

Common Name

Cotton semi-looper, okra caterpillar

Scientific Name

Anomis flava; it was previously known as Cosmophila flava. It is a moth of the Erebidae.

AUTHORS Grahame Jackson & Mani Mus

¹Information from Swaine G(1971) Agricultural Zoology in Fiji. Her Majesty's Sationery Office. London; and Arora R et al. Integrated pest management of cotton in Punjab, India. University of Minnesota. (https://ipmworld.unm.edu/arora); and from CABI (2018) Anomis flava (semi-looper). Crop Protection Compendium. (www.cabi.org/cpc).

Produced with support from the Australian Centre for International Agricultural Research under project HORT/2016/18: Responding to emerging pest and disease threats to horticulture in the Pacific islands, implemented by the University of Queensland and the Pacific Community.

This mini fact sheet is a part of the app Pacific Pests, Pathogens & Weeds

The mobile application is available from the Google Play Store and Apple iTunes.









Copyright © 2020. All rights reserved.