Pacific Pests, Pathogens & Weeds - Mini Fact Sheet Edition

https://apps.lucidcentral.org/ppp/

Rice white-backed planthopper (423)



Photo 1. Planthopper attack on rice, causing 'hopperburn', a wilt, drying out and eventual death of plants in patches where populations of planthoppers are high.



Photo 2. Long-winged form of the white-backed planthopper, *Sogatella furcifera*.



Photo 3. Long-winged form of the white-backed planthopper, *Sogatella furcifera* (side view).

Summary

- Widespread. Asia, Africa (restricted), South America, the Caribbean, Europe (restricted), Oceania. In Australia, and many Pacific island countries.
- Serious pest of rice. Also on maize and wild grasses. Sucking sap causes stunting, fewer tillers, low grain weight, hopperburn (>200 adults per plant). High early rainfall then long dry periods, dense planting, excessive N and insecticides encourage outbreaks. Indirect damage in Asia from spread of viruses.
- Eggs laid into stems or midribs. Adults 2-3 mm long, pale brown, with white stripe down centre of shield over the head and thorax. Long-winged adults migrate when populations high. Long distance migrations in Asia.
- Natural enemies: rice bug, Cyrtorhinus lividipennis (see Fact Sheet no. 419).
- Cultural control: synchronise planting between neighbours avoiding overlapping crops; monitor using lightbulb over pan of water, away from field and nursery; apply split applications of N; use early-maturing varieties, and grow only two crop/year; drain fields for 3-4 day if populations highs; do not ratoon crop; plough in stubble after harvest; tolerant varieties.
- Chemical control: use pesticides for nursery (seedbed) if: i) more than one planthopper per stem, or ii) more planthoppers than natural enemies. In nursery or field avoid broad-spectrum pesticides.

Common Name

White-backed planthopper

Scientific Name

Sogatella furcifera

AUTHOR Grahame Jackson

Information from CABI Sogatella furcifera (white-backed planthopper) (2018) Crop Protection Compendium. (http://www.ebi.org/cpc); and (plus Photo 4) from Planthopper. Rice Knowledge Bank. IRRL.

(http://www.knowledgebank.irri.org/training/fact-sheets/pest-management/insects/item/planthopper). Photo 1&2 Paul Langlois, Museum Collections: Cicadas, Planthoppers, & Allies, USDA APHIS PPQ, Bagwood.org. Photo 3 Part of the image collection of the International Rice Research Institute (IRRI). (https://www.flickr.com/photos/ficephotos/6233360329/in/photolist-66ExZW-8nPXie-66EDHS-66Ernj-66A8WM-66AfNR-xwT68F-xfpboh-xgfnnE-vuR2so-uynhx5-auPARP).

Produced with support from the Australian Centre for International Agricultural Research under project HORT/2016/185: Responding to emerging pest and disease threats to horticulture in the Pacific islands, implemented by the University of Queensland and the Secretariat of the Pacific Community.

This mini fact sheet is a part of the app Pacific Pests, Pathogens & Weeds

The mobile application is available from the Google Play Store and Apple iTunes.



Copyright © 2020. All rights reserved.