

Pacific Pests, Pathogens & Weeds - Mini Fact Sheet Edition

https://apps.lucidcentral.org/ppp/

Root knot nematodes (127)



Photo 1. Galls on the roots of *Phaseolus* bean caused by *Meloidogyne* species.



Photo 2. As in Photo 1, galls of *Meloidogyne* sp. on *Phaseolus* bean. Note the galls on the roots of the two plants on the left with smaller root mass compared to the healthy plant on the right.



Photo 3. Root-knot nematode, *Meloidogyne* sp., on ginger. Note that the damage is on the young buds, and that the decay has probably occurred in storage. A healthy rhizome is on the left.



Photo 4. Root knot nematode, *Meloidogyne* species) galls on parsley.

Summary

- Worldwide distribution. In tropics and sub-tropics. Several types. On many vegetables (beans (see
 Fact Sheet no. 127), capsicum, carrot, celery (see Fact Sheet no. 254), cucumber, eggplant, ginger, lettuce, potato, tomato and
 yam), fruit crops (melon, papaya, pineapple), ornamentals, and weeds. Important pests.
- Plants become yellow, stunted, and wilt. Characteristic galls on the roots ("knots").
- Eggs laid in soil, worm-like young females enter the roots to feed and lay eggs, causing cells to swell.
- Spread occurs in soil water, on tools, footwear and machinery, and over long distances in plant roots, especially in the trade in vegetable seedlings and ornamentals.
- Cultural control: resistant varieties; pasteurised soil or use soilless mixes; crop rotation; fallow periods (4-6 months); soil solarisation (4-6 weeks); manures and composts; marigold fallows.
- Chemical control: none recommended.

Common Name

Root-knot nematodes

Scientific Name

AUTHOR Grahame Jackson
Information from CABI (2014) Meloidogyne incognita Crop Protection Compendium. (http://www.cabi.org.cpc/); and information (and Photo 4) from Diseases of vegetable crops in Australia (2010). Editors, Denis Persley, Tony Cooke, Susan House. CSIRO Publishing. Photos 1&2 Gerlach WWP (1988) Plant diseases of Western Samoa. Samoan German Crop Protection Project, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ) Gnbh, Germany.

Photo 2 John Bridge, Tropical Plant Nematology Advisor, CABI Bioscience, Egham, UK. Produced with support from the Australian Centre for International Agricultural Research under project PC2010/090: Strengthening integrated crop management research in the Pacific Islands in support of sustainable intensification of high-value crop production, implemented by the University of Queensland and the Secretariat of the Pacific Community.

This mini fact sheet is a part of the app Pacific Pests, Pathogens & Weeds

The mobile application is available from the Google Play Store and Apple iTunes.









Copyright © 2020. All rights reserved.