



Pacific Pests, Pathogens & Weeds - Mini Fact Sheet Edition

<https://apps.lucidcentral.org/ppp/>

Sweetpotato leaf spot (208)



Photo 1. Sweetpotato leaves with leaf spots caused by *Pseudocercospora timorensis*.



Photo 2. Older leaf of sweetpotato with spots caused by *Pseudocercospora timorensis*.

Summary

- Widespread distribution. Asia, Africa, Caribbean, Oceania. On sweetpotato and wild relatives. A minor disease.
- Brown spots, round to irregular, sometimes with light brown centres, on the upper surface, brown or grey below. Sometimes merge.
- Spores on lower surface spread in wind.
- Cultural control: spots on older leaves so unlikely to affect yields of storage roots.
- Chemical control: none recommended.

Common Name

Sweetpotato leaf spot

Scientific Name

Pseudocercospora timorensis

AUTHOR Grahame Jackson

Photo 1 Kohler F, Pellegrin F, Jackson G, McKenzie E (1997) *Diseases of cultivated crops in Pacific Island countries*. South Pacific Commission. Pirie Printers Pty Limited, Canberra, Australia.

Produced with support from the Australian Centre for International Agricultural Research under project PC/2010/090: *Strengthening integrated crop management research in the Pacific Islands in support of sustainable intensification of high-value crop production*, implemented by the University of Queensland and the Secretariat of the Pacific Community.

This mini fact sheet is a part of the app *Pacific Pests, Pathogens & Weeds*

The mobile application is available from the Google Play Store and Apple iTunes.





Australian Government
Australian Centre for
International Agricultural Research

Copyright © 2020. All rights reserved.