

Cucumber downy mildew (143)

Summary

- Worldwide distribution. On members of the cucumber family (cucurbits): important on cucumber, rockmelon and zucchini, but also on gourd, melon, pumpkin, squash, watermelon, zucchini.
- Not a fungus, a water mould, or oomycete. Spots yellow, then brown, merge; leaves dry and die.
- Spread is by wind and water splash, and long distance in air currents when humidity is high. Survival is on volunteer plants and weeds.
- Cultural control: avoid overhead irrigation; space plants to allow air movement; avoid planting in warm and wet times of the year; tolerant varieties available (melon, cucumber, watermelon); weed.
- Chemical control: copper, chlorothalonil, mancozeb (protectants); metalaxyl, phosphorus acid (systemics).

Common Name

Cucumber downy mildew

Scientific Name

Pseudoperonospora cubensis



Photo 1. Yellow spots of downy mildew, *Pseudoperonospora cubensis*, on the upper surface of a leaf; they are often angular and restricted by the leaf veins.



Photo 4. Yellow irregular patches caused by downy mildew, *Pseudoperonospora cubensis*, on the upper surface of a melon leaf.



Photo 3. Underside of a zucchini leaf showing brown patches where downy mildew is forming spores. The white patches are powdery mildew (see **Fact Sheet no. 63**).



Photo 5. Downy mildew, *Pseudoperonospora cubensis*, on the lower surface of a melon leaf showing irregular brown patches where spores are produced.



Photo 1. Drying and loss of leaf canopy in a crop of cucumber caused by downy mildew, *Pseudoperonospora cubensis*. Note the exposure of the fruit could cause sunscald.

AUTHOR Grahame Jackson

Information from Gerlach WWP (1988) *Plant diseases of Western Samoa*. Samoan German Crop Protection Project, Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ) GmbH, Germany; and (including Photos 1&5) *Diseases of vegetable crops in Australia* (2010). Editors, Denis Persley, et al. CSIRO Publishing; and from Quesada-Ocampo L (2018) Cucurbit downy mildew. Vegetable pathology factsheets. NC Extension. (<https://content.ces.ncsu.edu/cucurbit-downy-mildew>). Photos 2&3 Clemson University - USDA Cooperative Extension Slide Series, Bugwood.org. Photo 4 Jacquie (Wright) Kami, formerly Plant Pathologist, Secretariat of the Pacific Community, Suva, Fiji.

Produced with support from the Australian Centre for International Agricultural Research under project PC/2010/090: *Strengthening integrated crop management research in the Pacific Islands in support of sustainable intensification of high-value crop production*, implemented by the University of Queensland and the Secretariat of the Pacific Community.



Australian Government
Australian Centre for
International Agricultural Research



Web edition hosted at <https://apps.lucidcentral.org/pppw>