


WATTLE

Acacias of Australia

Acacia lirellata subsp. *compressa* Maslin & A.R.Chapm.



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
J. & M. Simmons



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
J. & M. Simmons



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
See illustration.



Acacia lirellata subsp. *compressa* occurrence map.
Occurrence map generated via Atlas of Living Australia (<https://www.ala.org.au>).

Family

Fabaceae

Distribution

Discontinuous in the wheatbelt about Ballidu and c. 180 km SE from Bruce Rock to Waterbiddan Rock, c. 80 km E of Bruce Rock, W.A.

Description

Phyllodes not **decurrent**, narrowly **linear**, flat, occasionally **compressed**, shallowly to strongly **incurved**, 3–7 cm long, 1.5–2 (–3) mm wide, 3-nerved per face with central **nerve** more prominent than the others; shortly pulvinate. Bracteoles **acute** to **acuminate**. Pods **moniliform**.

Habitat

Grows in yellow loam, sand, sandy loam and loamy clay, in open low scrub and heath.

Specimens

W.A.: Muntadgin, *E.T.Bailey 54* (PERTH) and *643* (PERTH); c. 5 km N of Bruce Rock towards Merredin, *B.R.Maslin 1776* (CANB, K, MEL, NSW, PERTH); 1 km due S of Ballidu, *P.Roberts 323* (PERTH); 5.7 km E of Bruce Rock towards Wogarl, *J.G.Simmons & M.H.Simmons 1300* (PERTH).

Notes

Superficially resembles *A. cochlocarpa* subsp. *velutinosa*.

FOA Reference

Data derived from *Flora of Australia* Volumes 11A (2001), 11B (2001) and 12 (1998), products of ABRS, ©Commonwealth of Australia

Author

A.R.Chapman, B.R.Maslin

This identification key and fact sheets are available as a mobile application:



Australian Government
Department of the Environment and Energy



Department of
Biodiversity, Conservation
and Attractions
Western Australian Herbarium



Australian
Biological
Resources
Study



URL: <https://keys.lucidcentral.org/keys/v3/wattle>
Copyright 2018. All rights reserved.